INDEX TO TRANSACTIONS, VOLUME 195

(Plus Reference to Articles and Technical Notes Published in *Journal of Petroleum Technology* in 1952)

A

ALFORD, J. B.: *The Professional Concept*, (Ed.), Sept. JPT.

ARONOFSKY, J. S.: *Mobility Ratio — Its Influence on Flood Patterns During Water Encroachment*, 15

AULICK, B., et al.: *Improved Production by Chemical Treatment in Gulf Coast Areas*, (Art.), Sept. JPT.

B

BASHAM, R. B., et al.: *The Delta-Log, A Differential Temperature Surveying Method*, 123

BERNARD, G. G., et al.: *Behavior of Dissolved Oxygen in Oil Field Brine*, 119

Bits: The effect of circulating media and nozzle design on rock bit performance, (Art.), Jan. JPT.

BLUM, H. A., et al.: *Method for Determining Wettability of Reservoir Rocks*, 1

BOTSET, H. G.: *Evaluating a Petroleum Engineering Curriculum*, (Art.), May JPT.

BRADFIELD, S. A.: *Gas Supply and Requirements in California*, (Art.), Jan. JPT.

BROOKS, C. S., et al.: *Surface Area Measurements on Sedimentary Rocks*, 289

BROWN, C. H.: *Opportunities in Engineering and Science*, (Art.), May JPT.

BURTCHAELL, E. P., et al.: *Pressure Control by Water Injection — A Resumé of Case Histories*, (Art.), July JPT.

C

CALHOUN, J. C., JR., et al.: *Visual Examinations of Fluid Behavior in Porous Media, Part I*, 149

CAUDLE, B. H., et al.: *X-Ray Shadowgraph Studies of Areal Sweepout Efficiencies*, 265

Cementing: Lost circulation corrective: time setting clay cement, 59.

The effect of calcium chloride on high early strength cement, (Art.), June JPT.

Measurement of the permeability of set cement, (Tech. Note), June JPT.

Use of activated charcoal in cement to combat effects of contamination by drilling muds, 225.

CHATENEVER, A., et al.: *Visual Examinations of Fluid Behavior in Porous Media — Part I*, 149

Condensate: Volumetric behavior, 11.

Prediction of saturation pressures for condensate-gas and volatile-oil mixtures, 135.

Core Analysis: A note on the X-ray absorption method of determining fluid saturation in cores, (Tech. Note), March JPT.

CRAFT, B. C., et al.: *The Effect of Calcium Chloride on High Early Strength Cement*, (Art.), June JPT.

CRAIG, F. F., JR.: *Errors in Calculation of Gas Injection Performance from Laboratory Data*, (Tech. Note), Aug. JPT.

Cycling: Possibility of cycling deep depleted oil reservoirs after compression to a single phase, 175.

D

DAVIS, C. A.: *The North Coles Levee Field Pressure Maintenance Project*, (Art.), Aug. JPT.

DAVIS, D. H., et al.: *Reduction in Permeability with Overburden Pressure*, (Tech. Note), Dec. JPT.

DAVIS, L. E., et al.: *A Method for Predicting the Tendency of Oil Field Waters to Deposit Calcium Sulfate*, 25

DAVIS, L. E., et al.: *A Method for Predicting the Tendency of Oil Field Waters to Deposit Calcium Carbonate*, 213

DAVIS, P. C., et al.: *Phase and Volumetric Behavior of Natural Gases at Low Temperatures*, 279

DOUGHERTY, J. F., et al.: *Natural Gas in the Province of Alberta, Canada*, 241

DUMBAULD, G. K., et al.: *Measurement of the Permeability of Set Cement*, (Tech. Note), June JPT.

DUMBAULD, G. K., et al.: *Use of Activated Charcoal in Cement to Combat Effects of Contamination by Drilling Muds*, 225

E

EGAN, E. F., et al.: *Neutron Derived Porosity-Influence of Bore Hole Diameter*, 203

ELENBAAS, J. R., et al.: *Sample Grading Method of Estimating Gas Reserves*, 207

ELFRINK, E. B., et al.: *The Slip Velocity of Gases Rising Through Liquid Columns*, 233

F

FATT, I., et al.: *Reduction in Permeability with Overburden Pressure*, (Tech. Note), Dec. JPT.

FAST, C. R.: *A Study of the Permanence of Production Increases Due to Hydraulic Fracture Treatments*, (Tech. Note), Feb. JPT.

FEATHERSTON, R. E.: *The Engineer and the Industry Information Program*, (Art.), June JPT.

Field Studies: Volumetric behavior of condensate and gas from a Louisiana field — II, 11.
Cook Ranch Field, Shackelford County, Texas, 77.
The North Coles Levee Field pressure maintenance project, (Art.), Aug. JPT.
Flow Studies: Improved multiphase flow studies employing radioactive tracers, 65.
Visual examinations of fluid behavior in porous media — part I, 149.
The strataflow process: a recent development in locating water entry in wells, 183.
FOLGER, A., et al.: *Natural Gas in the Province of Alberta, Canada*, 241

G

Gas: Volumetric behavior, 11.
Gas supply and requirements in California, (Art.), Jan. JPT.
Efficiency of gas displacement from porous media by liquid flooding, 29.
A simplified method for computing oil recoveries by gas or water drive, 91.
Equilibrium vaporization ratios, 99.
Sample grading method of estimating gas reserves, 207
Errors in calculation of gas injection performance from laboratory data, (Tech. Note), Aug. JPT.
The slip velocity of gases rising through liquid columns, 233.
Natural gas in the Province of Alberta, Canada, 241.
Phase and volumetric behavior of natural gases at low temperatures, 279
Improved techniques developed for acidizing gas producing and injection wells, 285.
GEFFEN, T. M., et al.: *Efficiency of Gas Displacement from Porous Media by Liquid Flooding*, 29
GEFFEN, T. M., et al.: *A Note on the X-Ray Absorption Method of Determining Fluid Saturation in Cores*, (Tech. Note), March JPT.
GLADFELTER, R. E., et al.: *A Note on the X-Ray Absorption Method of Determining Fluid Saturation in Cores*, (Tech. Note), March JPT.
GLENN, A. H.: *Weather and Oceanographic Problems in the Petroleum Industry*, (Art.), April JPT.
GOLDING, B. H., et al.: *Prediction of Saturation Pressures for Condensate-Gas and Volatile-Oil Mixtures*, 135
GORE, T. L., et al.: *Phase and Volumetric Behavior of Natural Gases at Low Temperatures*, 279
GRIMM, R. D., et al.: *Sample Grading Method of Estimating Gas Reserves*, 207

H

HAFFORD, J. A., et al.: *Laboratory Determination of Relative Permeability*, 187
HARTLINE, R., et al.: *The Strataflow Process: A Recent Development in Locating Water Entry in Wells*, 183
HAYNES, G. W., et al.: *Efficiency of Gas Displacement from Porous Media by Liquid Flooding*, 29
HODGSON, G. R., et al.: *A Method of Perforating Casing Below Tubing*, 303
HOPKINS, H. F., et al.: *Improved Production by Chemical Treatment in Gulf Coast Areas*, (Art.), Sept. JPT.
HOWER, W., et al.: *Improved Production by Chemical Treatment in Gulf Coast Areas*, (Art.), Sept. JPT.
HUNTER, Z. Z., et al.: *Observations from Profile Logs of Water Injection Wells*, 129

J

JACOBY, R. H., et al.: *Equilibrium Vaporization Ratios for Nitrogen, Methane, Carbon Dioxide, Ethane, and Hydrogen Sulfide in Absorber Oil — Natural Gas and Crude Oil — Natural Gas Systems*, 99
JOHNSON, V. L., et al.: *Drilling Fluid Filter Loss at High Temperatures and Pressures*, 157
JOSENDAL, V. A., et al.: *Improved Multiphase Flow Studies Employing Radioactive Tracers*, 65
JUSTICE, W. H., et al.: *Improved Techniques Developed for Acidizing Gas Producing and Injection Wells*, 285

K

KATZ, D. L.: *Possibility of Cycling Deep Depleted Oil Reservoirs After Compression to a Single Phase*, 175
KATZ, D. L., et al.: *Sample Grading Method of Estimating Gas Reserves*, 207
KAVELER, H. H., et al.: *Observations from Profile Logs of Water Injection Wells*, 129
KENNEDY, H. T., et al.: *Bubble Formation in Supersaturated Hydrocarbon Mixtures*, 271
KERN, L. R.: *Displacement Mechanism in Multi-Well Systems*, 39
KERVER, J. K., et al.: *Laboratory Determination of Relative Permeability*, 187
KURATA, F., et al.: *Phase and Volumetric Behavior of Natural Gases at Low Temperatures*, 279

L

LEBEAUX, J. M.: *Some Effects of Quick-Freezing upon the Permeability and Porosity of Oil Well Cores*, (Tech. Note), Nov. JPT.
LEBOURG, M. P., et al.: *A Method of Perforating Casing Below Tubing*, 303
LEVY, WALTER J.: *Perils to the Free World's Essential Oil Supplies*, (Art.), Oct. JPT.
LEWELLING, H.: *Experimental Evaluation of Well Perforation Methods as Applied to Hard Limestone*, 163
Logging, The quantitative aspects of electric log interpretation, 47.
Correlation of radioactivity logs of the Lansing and Kansas City groups in central Kansas, 111.
The Delta-Log, 123.
Observations from profile logs of water injection wells, 129
Neutron derived porosity-influence of bore hole diameter, 203.
Electrical resistivity measurements on reservoir rock samples by the two-electrode and four-electrode methods, 217.
LOVEJOY, J. M.: *Oil in a Free Economy*, (Ed.), July JPT.
LOWE, H. R., et al.: *Natural Gas in the Province of Alberta, Canada*, 241

Mc

MCKINNEY, H. E.: *A High-Pressure Wellhead Lubricator*, 261
MCNIEL, J. S., JR., et al.: *Lost Circulation Corrective: Time Setting Clay Cement*, 59

M

MACUNE, C. W., et al.: *The Delta-Log, A Differential Temperature Surveying Method*, 123.
MARSH, G. A., et al.: *Behavior of Dissolved Oxygen in Oil Field Brine*, 119
MESSENGER, J. U., et al.: *Lost Circulation Corrective: Time Setting Clay Cement*, 59
MEYER, J., et al.: *Natural Gas in the Province of Alberta, Canada*, 241

MINCKLER, R. L.: *Oil Supply and Demand on the West Coast*, (Art.), Oct. JPT.
MOORE, W. D., et al.: *The Pressure Performance of Five Fields Completed in a Common Aquifer*, 297.
MORGAN, B. E., et al.: *Measurement of the Permeability of Set Cement*, (Tech. Note), June JPT.
MORGAN, B. E., et al.: *Use of Activated Charcoal in Cement to Combat Effects of Contamination by Drilling Muds*, 225
MORGAN, J. V.: *Correlation of Radioactive Logs of the Lansing and Kansas City Groups in Central Kansas*, 111
MORSE, R. A., et al.: *Efficiency of Gas Displacement from Porous Media by Liquid Flooding*, 29
Mud: Radial filtration, 5.
A new additive for control of drilling mud filtration, 85.
Drilling fluid filter loss at high temperatures and pressures, 157.
Use of activated charcoal in cement to combat effects of contamination of drilling muds, 225.

N

NIELSEN, J. P., et al.: *Improved Techniques Developed for Acidizing Gas Producing and Injection Wells*, 285

O

Offshore operations: Weather and oceanographic problems in the petroleum industry, (Art.), April JPT.
OLSON, C. R., et al.: *Bubble Formation in Supersaturated Hydrocarbon Mixtures*, 271
OPPENHEIM, V.: *Petroleum Development of Colombia*, (Art.), Nov. JPT.
ORGANICK, E. I., et al.: *Prediction of Saturation Pressures for Condensate-Gas and Volatile-Oil Mixtures*, 135.
OSOBA, J. S., et al.: *Laboratory Determination of Relative Permeability*, 187
OWEN, J. E.: *The Resistivity of a Fluid-Filled Porous Body*, 169.

P

PARRISH, D. R., et al.: *Efficiency of Gas Displacement from Porous Media by Liquid Flooding*, 29
PAYNE, L. L.: *The Effect of Circulating Media and Nozzle Design on Rock Bit Performance*, (Art.), Jan. JPT.
Perforating: Experimental evaluation of well perforation methods as applied to hard limestone, 163.
A method of perforating casing below tubing, 303.
PLANK, W. B.: *Now is the Time to Choose Engineering*, (Ed.), May JPT.
Porosity: Neutron derived porosity-influence of bore hole diameter, 203.
Some effects of quick-freezing upon the permeability and porosity of oil well cores, (Tech. Note), Nov. JPT.
PORTER, J. L.: *Oil Development in Chile*, (Art.), Nov. JPT.
POWER, H. H.: *Characterizing Features of the Petroleum Engineers*, (Art.), May JPT.
POWER, H. H.: *Industry's Stake in Engineering Education*, (Ed.), Aug. JPT.
Pressure Control: Pressure control by water injection — a resumé of case histories, (Art.), July JPT.
The North Coles Levee Field pressure maintenance project, (Art.), Aug. JPT.
The pressure performance of five fields completed in a common aquifer, 297.
Production Review: Production and development in the United States during 1951, (Art.), March JPT.
Foreign production and development during 1951, (Art.), April JPT.
PROKOP, C. L.: *Radial Filtration of Drilling Mud*, 5
PURCELL, W. R., et al.: *Surface Area Measurements on Sedimentary Rocks*, 289

R

RACHFORD, H. H., et al.: *Procedure for Use of Electronic Digital Computers in Calculating Flash Vaporization Hydrocarbon Equilibrium*, (Tech. Note), Oct. JPT.
REAMER, H. H., et al.: *Volumetric Behavior of Condensate and Gas from a Louisiana Field — II*, 11
REAMER, H. H., et al.: *Some Properties of Mixed Paraffinic and Olefinic Hydrates*, 197
REISTLE, C. E., JR.: *Management Looks at the Engineer*, (Art.), May JPT.
Relative Permeability: Laboratory determination of relative permeability, 187.
Some effects of quick-freezing upon the permeability and porosity of oil well cores, (Tech. Note), Nov. JPT.
Reduction in permeability with overburden pressure, (Tech. Note), Dec. JPT.
RICE, J. D., et al.: *Procedure for Use of Electronic Digital Computers in Calculating Flash Vaporization Hydrocarbon Equilibrium*, (Tech. Note), Oct. JPT.
RICHARDSON, J. G., et al.: *Laboratory Determination of Relative Permeability*, 187
Rock Characteristics: Method for determining wettability, 1.
The resistivity of a fluid-filled porous body, 169.
Some effects of quick-freezing upon the permeability and porosity of oil well cores, (Tech. Note), Nov. JPT.
Rock Treatment: A study of the permanence of production increases due to hydraulic fracture treatments, (Tech. Note), Feb. JPT.
Improved production by chemical treatment in Gulf Coast areas, (Art.), Sept. JPT.
RUST, C. F.: *Electrical Resistivity Measurements on Reservoir Rock Samples by the Two-Electrode and Four-Electrode Methods*, 217
RZASA, M. J., et al.: *Equilibrium Vaporization Ratios for Nitrogen, Methane, Carbon Dioxide, Ethane, and Hydrogen Sulfide in Absorber Oil — Natural Gas and Crude Oil — Natural Gas Systems*, 99

S

SAGE, B. H., et al.: *Volumetric Behavior of Condensate and Gas from a Louisiana Field — II*, 11
SAGE, B. H., et al.: *Some Properties of Mixed Paraffinic and Olefinic Hydrates*, 197
SALATHIEL, R. A.: *A New Additive for Control of Drilling Mud Filtration*, 85
SANDBERG, C. R., et al.: *The Slip Velocity of Gases Rising Through Liquid Columns*, 233
SANDIFORD, B. B., et al.: *Improved Multiphase Flow Studies Employing Radioactive Tracers*, 65
SAYE, F., et al.: *Improved Production by Chemical Treatment in Gulf Coast Areas*, (Art.), Sept. JPT.
SCHREMP, F. W., et al.: *Drilling Fluid Filter Loss at High Temperatures and Pressures*, 157
SCOTTY, C. B., et al.: *Neutron Derived Porosity-Influence of Bore Hole Diameter*, 203
SELLECK, F. T., et al.: *Some Properties of Mixed Paraffinic and Olefinic Hydrates*, 197
SLOBOD, R. L., et al.: *Method for Determining Wettability of Reservoir Rocks*, 1
SLOBOD, R. L., et al.: *X-ray Shadowgraph Studies of Areal Sweepout Efficiencies*, 265.
SMITH, E. R., et al.: *Pressure Control by Water Injection — A Resumé of Case Histories*, (Art.), July JPT.

STEIN, N., et al.: *The Slip Velocity of Gases Rising Through Liquid Columns*, 233.
STEPHENSON, A. H., et al.: *The Effect of Calcium Chloride on High Early Strength Cement*, (Art.), June JPT.
STIFF, H. A., JR., et al.: *A Method for Predicting the Tendency of Oil Field Waters to Deposit Calcium Sulfate*, 25
STIFF, H. A., JR., et al.: *A Method for Predicting the Tendency of Oil Field Waters to Deposit Calcium Carbonate*, 213

T

TAGGART, A. F.: *Education for Engineering*, (Art.), May JPT.
TAPPER, W., et al.: *The Strataflow Process: A Recent Development in Locating Water Entry in Wells*, 183
TROSTEL, E. G., et al.: *Natural Gas in the Province of Alberta, Canada*, 241
TRUBY, L. G., JR., et al.: *The Pressure Performance of Five Fields Completed in a Common Aquifer*, 297
TURNER, C. E., et al.: *Sample Grading Method of Estimating Gas Reserves*, 207

V

VARY, J. A., et al.: *Sample Grading Method of Estimating Gas Reserves*, 207

W

WALSTROM, J. E.: *The Quantitative Aspects of Electric Log Interpretation*, 47
Water Drive: A simplified method for computing oil recoveries by gas or water drive, 91
Waterflood: Mobility ratio — its influence on flood patterns during water encroachment, 15.
Efficiency of gas displacement from porous media by liquid flooding, 29.
Displacement mechanism in multi-well systems, 39.
Observations from profile logs of water injection wells, 129.
A method for predicting the tendency of oil field waters to deposit calcium carbonate, 213.
WEINAUG, C. F.: *Staff Problems Relating to Engineering Education*, (Art.), May JPT.
WELGE, H. J.: *A Simplified Method for Computing Oil Recoveries by Gas or Water Drive*, 91
WIENER, L. D., et al.: *The Slip Velocity of Gases Rising Through Liquid Columns*, 233
WILSON, J. W., et al.: *Improved Multiphase Flow Studies Employing Radioactive Tracers*, 65
WILSON, W. W.: *Engineering Study of Cook Ranch Field, Shackelford County, Texas*, 77
WINGER, J. G.: *The Market for Williston Basin Oil*, (Art.), Dec. JPT.

Y

YOUNG, C. A.: *International Standardization of Oil Field Equipment*, (Art.), Feb. JPT.

★ ★ ★